


Underwater Treadmill



SX-2000

speed 12 km/h

Net weight 400 Kgr

Adjust the water temperature to 34° C

The maximum water intake height is 125 cm

Dimension 240*120*170 cm

Feryal underwater treadmills are proud to have achieved IMQ standard certification for our product range, design and manufacturing capabilities, and we aim to maintain the highest standards in everything we do.

[+]STAINLESS STEEL WALK THROUGH DESIGN WITH ENTRY DOOR

[+] EASY OPERATION, ONE STAGE SAFETY DOOR LATCH

[+] STRUCTURAL GLASS WITH ALL ROUND PATIENT VISIBILITY

[+] SIDE PLATFORMS FOR THERAPIST

[+] Fully automatic water filling and emptying valves

[+] ISOLATION TRANSFORMER

[+] ADJUSTABLE SPEED CONTROLS

[+]Turbo jet nozzles for slimming system

[+] CONTROL FROM PORTABLE DEVICES

[+] REMOTE SERVICE DIAGNOSTICS



ELECTICAL

Powered by DELTA with 24 month drive and controls warranty



Water Treatment

Automatic chemical water treatment system by ozone generator. Water dump valve prevents fouled water returning to water tank



TURBO JET

For hydro massage and creating more inertia during water activities



Reversible Belt

This feature provides a wider variety of therapy options




Transfer Pumps

High capacity transfer pumps with rapid filling and emptying times enables you to see more patients




Touch Screen Console

Adjustable controls positioning for added convenience



Therapist Side Platforms

Allow the clinician to accompany a patient in the treadmill in comfort and safety



Pre-set Control Options

Intuitive controls for water, speed and incline with time and distance



Easy Operation Door Handle

Easy operation, two stage door latch for safety



Portable Device Control


Remote operation using an app available for IOS or Android devices



Fully automatic intelligent control system

The treadmill is completely intelligent and performs all commands automatically





FSET.ae